



Experience Better Living



Season
2024/2025

Embrace Comfort
without Compromise



Balmoral

INSET ELECTRIC FIRE

BAL20BR



Balmoral Brass


Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Side switch control
-  Coal fuel bed
-  Flame effect without heat

Balmoral Brass



Brass



Manual Control




Spacer Kit



OSP004

Balmoral



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
615	463	185	7.9

Product Features

Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Balmoral
Flame Effect	Optiflame
Model Reference	BAL20BR
Material Code	X-047496
Barcode	5011139047496
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	On side panel
On/Off Switch	Y
Remote Control	N
Batteries Included	N
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Coal

Product Features

Lot 20 Compliant	Y
Freestanding	Y (with spacer)
Wall Mountable	N
Inset	Y
Suite	N
Spacer Kit	Y - X-048264
Lamp Type	LED
Safety Cut Out	Y
Kettle (IEC) Lead	Y
Power Cord Length	1.4m
Core Materials	Steel / Plastic
Finish / Colour	Brass

Accessories

OSP004 Spacer Kit - Balmoral & Savena	X-048264
---------------------------------------	----------

Balmoral

INSET ELECTRIC FIRE

BAL20CH



Balmoral Chrome

Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Side switch control
-  Coal fuel bed
-  Flame effect without heat

Balmoral Chrome



Chrome



Manual Control




Spacer Kit



OSP004

Balmoral



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
615	463	185	7.9

Product Features

Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Balmoral
Flame Effect	Optiflame
Model Reference	BAL20CH
Material Code	X-047502
Barcode	5011139047502
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	On side panel
On/Off Switch	Y
Remote Control	N
Batteries Included	N
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Coal

Product Features

Lot 20 Compliant	Y
Freestanding	Y (with spacer)
Wall Mountable	N
Inset	Y
Suite	N
Spacer Kit	Y - X-048264
Lamp Type	LED
Safety Cut Out	Y
Kettle (IEC) Lead	Y
Power Cord Length	1.4m
Core Materials	Steel / Plastic
Finish / Colour	Chrome

Accessories

OSP004 Spacer Kit - Balmoral & Savena	X-048264
---------------------------------------	----------

Savena

INSET ELECTRIC FIRE

SAV20CH



Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Flame effect without heat
-  Coal/Pebble fuel bed
-  LED lighting
-  Side switch control

Savena




Manual Control



Spacer Kit



Savena



W 463mm

D 150mm

Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
615	463	150	8.5

Product Features

Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Savena
Flame Effect	Optiflame
Model Reference	SAV20CH
Material Code	X-047519
Barcode	501139047519
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	On side panel
On/Off Switch	Y
Remote Control	N
Batteries Included	N
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Coal/Pebbles

Product Features

Lot 20 Compliant	Y
Freestanding	Y (with spacer)
Wall Mountable	N
Inset	Y
Suite	N
Spacer Kit	Y - X-048264
Lamp Type	LED
Safety Cut Out	Y
Kettle (IEC) Lead	Y
Power Cord Length	1.4m
Core Materials	Steel / Plastic
Finish / Colour	Brushed Chrome

Accessories

OSP004 Spacer Kit - Balmoral & Savena	X-048264
---------------------------------------	----------

Kingsley Deluxe

FREESTANDING ELECTRIC FIRE

KNG20XBR



Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of blue flame effect
-  Downlight
-  LED lighting
-  Remote control
-  Freestanding

Kingsley Deluxe



Remote Control



Flame Effect



Kingsley Deluxe



W 639mm

D 194mm

Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
682	639	194	9.8

Product Features

Product Category	Electric Fires
Product Type	Freestanding
Brand	Dimplex
Model/Range Name	Kingsley Deluxe
Flame Effect	Optiflame
Model Reference	KNG20XBR
Material Code	500001035
Barcode	5053285137119
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Under canopy
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Coals, crystals & logs

Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Spacer kit	n/a
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	Y
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Black / brass

Accessories

HPD001 Hearth Pad	X-025951
-------------------	----------

Kingsley Deluxe

FREESTANDING ELECTRIC FIRE

KNG20XCH



Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of blue flame effect
-  Downlight
-  LED lighting
-  Remote control
-  Freestanding

Kingsley Deluxe



Remote Control



Flame Effect



Kingsley Deluxe



W 639mm

D 194mm

H 682mm

Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
682	639	194	9.8

Product Features

Product Category	Electric Fires
Product Type	Freestanding
Brand	Dimplex
Model/Range Name	Kingsley Deluxe
Flame Effect	Optiflame
Model Reference	KNG20XCH
Material Code	500001019
Barcode	5053285137126
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Under canopy
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Coals, crystals & logs

Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Spacer kit	n/a
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	Y
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Black / chrome

Accessories

HPD001 Hearth Pad	X-025951
-------------------	----------

Portree

INSET ELECTRIC FIRE

POR20CH3D



Portree

Features

-  Unique Optiflame 3D effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of blue flame effect
-  Downlight
-  LED lighting
-  Remote control

Portree



Remote Control




Fuel Bed



Coals, logs, crystals & pebbles

Portree



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
613	517	195	13

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Under canopy
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - CR2032
Optiflame 3D Effect	Y
Flame Type	Optiflame 3D
Flame Effect Only	Y
Fuel Bed Supplied	Coals, logs, crystals & pebbles

Accessories

OSP005 Spacer Kit - Optiflame 3D/XHD	400000490
--------------------------------------	-----------

Product Features

Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Portree
Flame Effect	Optiflame 3D
Model Reference	POR20CH3D
Material Code	400000030
Barcode	5011139078780
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features

Lot 20 Compliant	Y
Freestanding	Y - using spacer
Wall Mountable	N
Inset	Y
Spacer kit	Y - 400000490
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	Y
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel / metal / plastic
Finish / Colour	Chrome / brass

Atherton

INSET ELECTRIC FIRE

ATH20



Atherton

Features

 Unique Optimyst effect

 2kW heat output

 Choice of 2 heat settings

 Thermostat

 LED lighting

 Remote control

 Coal fuel bed

 Flame effect only

Atherton




Remote Control



Fuel Bed



Atherton



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
614mm	463mm	196mm	7.5kg

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top of fire (behind cover)
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (2 x AAA)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Coals

Product Features

Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Atherton
Flame Effect	Optimyst
Model Reference	ATH20
Material Code	X-059109
Barcode	5011139059109
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA
Guarantee Period	1 year

Product Features

Lot 20 Compliant	Y
Freestanding	Y - using spacer
Wall Mountable	N
Inset	Y
Spacer Kit	N
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Brass / Black

Bellemont

INSET ELECTRIC FIRE

BLL20



Bellemont

Features

 Unique Optimyst effect

 2kW heat output

 Choice of 2 heat settings

 Thermostat

 LED lighting

 Remote control

 Coal fuel bed

 Flame effect only

Bellemont



Remote Control



Fuel Bed



Bellemont



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
614mm	463mm	196mm	7.5kg

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top of fire (behind cover)
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (2 x AAA)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Coals

Product Features

Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Bellemont
Flame Effect	Optimyst
Model Reference	BLL20
Material Code	X-059116
Barcode	5011139059116
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA
Guarantee Period	1 year

Product Features

Lot 20 Compliant	Y
Freestanding	Y - using spacer
Wall Mountable	N
Inset	Y
Spacer Kit	N
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Brass / Black

Bramdean

FREESTANDING ELECTRIC FIRE

BMD20



Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Coal fuel bed
-  Flame effect only
-  Freestanding

Bramdean



Remote Control



Fuel Bed



Bramdean



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
670mm	556mm	217mm	8kg

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top of fire (behind cover)
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (2 x AAA)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Coals

Accessories

HPD001 Hearth Pad	X-025951
-------------------	----------

Product Features

Product Category	Electric Fires
Product Type	Freestanding
Brand	Dimplex
Model/Range Name	Bramdean
Flame Effect	Optimyst
Model Reference	BMD20
Material Code	X-060877
Barcode	5011139060877
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA
Guarantee Period	1 year

Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Spacer Kit	N/A
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Brass / Black

Flagstaff

INSET ELECTRIC FIRE

FLG20



Flagstaff

Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Coal fuel bed
-  Flame effect only

Flagstaff



Remote Control



Fuel Bed



Flagstaff



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
614mm	463mm	196mm	7.5kg

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top of fire (behind cover)
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (2 x AAA)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Coals

Product Features

Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Flagstaff
Flame Effect	Optimyst
Model Reference	FLG20
Material Code	X-059123
Barcode	5011139059123
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA
Guarantee Period	1 year

Product Features

Lot 20 Compliant	Y
Freestanding	Y - using spacer
Wall Mountable	N
Inset	Y
Spacer Kit	N
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Chrome / Black

Penngrove

INSET ELECTRIC FIRE

PNN20



Features

 Unique Optimyst effect

 2kW heat output

 Choice of 2 heat settings

 Thermostat

 LED lighting

 Remote control

 Coal fuel bed

 Flame effect only


Penngrove



Fuel Bed




Remote Control



Touch screen control



Penngrove



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
625	486	207	7.5

Product Features

Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Penngrove
Flame Effect	Optimyst
Model Reference	PNN20
Material Code	X-060815
Barcode	5011139060815
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA
Guarantee Period	1 year

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top of fire (above canopy)
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (2 x AAA)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Coals

Product Features

Lot 20 Compliant	Y
Freestanding	Y - using spacer
Wall Mountable	N
Inset	Y
Spacer Kit	Y - X-072047
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Chrome

Accessories

OSP003 Spacer Kit - Optimyst 3G Insets	X-072047
--	----------

Pomona

INSET ELECTRIC FIRE

POM20



Pomona

Features

 Unique Optimyst effect

 2kW heat output

 Choice of 2 heat settings

 Thermostat

 LED lighting

 Remote control

 Coal fuel bed

 Flame effect only

Pomona




Remote Control



Fuel Bed



Pomona



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
614mm	463mm	196mm	7.5kg

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top of fire (behind cover)
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (2 x AAA)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Coals

Product Features

Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Pomona
Flame Effect	Optimyst
Model Reference	POM20
Material Code	X-059130
Barcode	5011139059130
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA
Guarantee Period	1 year

Product Features

Lot 20 Compliant	Y
Freestanding	Y - using spacer
Wall Mountable	N
Inset	Y
Spacer Kit	N
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Chrome / Black

Ropley

FREESTANDING ELECTRIC FIRE

RPL20



Ropley

Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Coal fuel bed
-  Flame effect only
-  Freestanding

Ropley



Remote Control



Fuel Bed



Ropley



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
670mm	556mm	217mm	8kg

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top of fire (behind cover)
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (2 x AAA)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Coals

Accessories

HPD001 Hearth Pad	X-025951
-------------------	----------

Product Features

Product Category	Electric Fires
Product Type	Freestanding
Brand	Dimplex
Model/Range Name	Ropley
Flame Effect	Optimyst
Model Reference	RPL20
Material Code	X-061669
Barcode	5011139061669
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA
Guarantee Period	1 year

Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Spacer Kit	N/A
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Brass / Black

Bari

FREESTANDING ELECTRIC STOVE

BAR20



Bari

Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Downlight
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Opening door

Bari



Remote Control



Manual Control



Bari



W 440mm

D 315mm

H 550mm

Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
550	440	315	9.6

Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Bari
Flame Effect	Optiflame
Model Reference	BAR20
Material Code	X-102096
Barcode	5011139102096
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Right Side - Bottom
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Logs

Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Door	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Plastic
Finish / Colour	Black

Accessories

HPD001 Hearth Pad	X-025951
STP001 Stove Pipe	400000434

Bayport

FREESTANDING ELECTRIC STOVE

BYP20



Bayport

Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Logs fuel bed
-  Flame effect only
-  Opening door

Bayport



Remote Control



Manual Control



Bayport



W 440mm

D 280mm

H 580mm

Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
580	440	280	7.7

Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Bayport
Flame Effect	Optimyst
Model Reference	BYP20
Material Code	X-059086
Barcode	5011139059086
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA
Guarantee Period	1 year

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Behind door
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (2 x AAA)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Logs

Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Door	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Black

Accessories

HPD001 Hearth Pad	X-025951
-------------------	----------

Brayford

FREESTANDING ELECTRIC STOVE

BFD20BRG



Brayford Burgundy

Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Downlight
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only

Brayford Burgundy



Remote Control



Manual Control



Brayford



W 440mm

D 315mm

H 550mm

Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
550	440	315	11.5

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Right Side - Bottom
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Logs

Accessories

HPD001 Hearth Pad	X-025951
-------------------	----------

Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Brayford
Flame Effect	Optiflame
Model Reference	BFD20BRG
Material Code	X-068392
Barcode	5011139068392
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Door	N
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Metal / Plastic
Finish / Colour	Burgundy

Courchevel

FREESTANDING ELECTRIC STOVE

CVL20E



Courchevel

Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Downlight
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Opening door

Courchevel




Remote Control

- On/off



Logs

Courchevel



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
597	510	340	16.7

Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Courchevel
Flame Effect	Optiflame
Model Reference	CVL20E
Material Code	X-061461
Barcode	5011139061461
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Right Side - Bottom
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Logs

Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Door	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Metal / Plastic
Finish / Colour	White

Accessories

HPD001 Hearth Pad	X-025951
-------------------	----------

Fullerton

FREESTANDING ELECTRIC STOVE

FLN20



Fullerton

Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Downlight
-  LED lighting
-  Remote control
-  Coal & log effect fuel bed
-  Flame effect only
-  Opening doors

Fullerton



Remote Control



Fuel Bed



Coals & logs

Fullerton



W 620mm

D 390mm

Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
660	620	390	26

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Behind door
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Coals & logs

Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Fullerton
Flame Effect	Optiflame
Model Reference	FLN20
Material Code	X-068095
Barcode	5011139068095
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Doors	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Plastic / Steel
Finish / Colour	Cream

Leckford

FREESTANDING ELECTRIC STOVE

LEC20



Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Downlight
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Opening doors

Leckford



Remote Control



Fuel Bed



Coals & logs

Leckford



W 620mm

D 390mm

H 660mm

Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
660	620	390	26

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Behind door
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Coals & logs

Accessories

STP001 Stove Pipe	400000434
-------------------	-----------

Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Leckford
Flame Effect	Optiflame
Model Reference	LEC20
Material Code	X-059222
Barcode	5011139059222
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Doors	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Plastic / Steel
Finish / Colour	Black

Lucia

FREESTANDING ELECTRIC STOVE

LUC20



Lucia

Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Downlight
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Opening door

Lucia



Remote Control



Fuel Bed



Logs

Lucia



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
597	508	344	16

Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Lucia
Flame Effect	Optiflame
Model Reference	LUC20
Material Code	X-071736
Barcode	5011139071736
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Behind Door
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Logs

Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Door	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Metal / Plastic
Finish / Colour	Black

Accessories

HPD001 Hearth Pad	X-025951
STP001 Stove Pipe	400000434

Microstove

FREESTANDING ELECTRIC STOVE

MCFSTV12E



Microstove


Features

-  Unique Optiflame effect
-  1.2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Manual control
-  Log effect fuel bed
-  Flame effect only
-  Freestanding

Microstove



Microstove



Dimensions & Weight			
Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
422	351	220	6

Product Features	
Heat Output	1.2kW
Heat Settings	600W / 1.2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Back of product
On/Off Switch	Y
Remote Control	N
Batteries Included	N/A
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Logs

Accessories	
HPD001 Hearth Pad	X-025951

Product Features	
Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Microstove
Flame Effect	Optiflame
Model Reference	MCFSTV12E
Material Code	X-061522
Barcode	5011139061522
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features	
Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Door	N
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Plastic
Finish / Colour	Black

Willowbrook

FREESTANDING ELECTRIC STOVE

WLL20




Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Logs fuel bed
-  Flame effect only
-  Opening door

Willowbrook



Remote Control




Fuel Bed



Logs

Willowbrook



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
582	440	305	11.5

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Behind door
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (2 x AAA)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Logs

Accessories

HPD001 Hearth Pad	X-025951
-------------------	----------

Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Willowbrook
Flame Effect	Optimyst
Model Reference	WLL20
Material Code	X-060792
Barcode	5011139060792
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA
Guarantee Period	1 year

Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Door	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Black

Artesia

WALL ELECTRIC FIRE

ART20




Artesia

Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of colour options
-  LED lighting
-  Remote control
-  Crystal or Pebble fuel bed
-  Flame effect only
-  Volume
-  Backlight
-  Bluetooth

Colour options




Remote Control



Flame Effect



Artesia



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
540	830	155	15kg

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right side of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Crystals or Pebbles

Product Features

Product Category	Electric Fires
Product Type	Wall
Brand	Dimplex
Model/Range Name	Artesia
Flame Effect	Optiflame
Model Reference	ART20
Material Code	X-061942
Barcode	5011139061942
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	Y
Built in	N
View of fire	1 sided
Lamp Type	LED
Colour Settings	Y
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Glass
Finish / Colour	Black

Bach

WALL ELECTRIC FIRE

BCH20E



Bach

Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Variable flame brightness
-  Run-back timer (8 hours)
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only

Bach



Remote Control




Flame Effect



Bach



W 696mm



D 183mm

H 600mm

Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
600	696	183	16.4kg

Product Features

Product Category	Electric Fires
Product Type	Wall
Brand	Dimplex
Model/Range Name	Bach
Flame Effect	Optiflame
Model Reference	BCH20E
Material Code	X-061256
Barcode	5011139061256
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA / BEAB
Guarantee Period	1 year

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Logs effect

Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	Y
Built in	Chassis can be inset into wall
View of fire	1 sided
Lamp Type	LED
Colour Settings	N
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Plastic / Glass
Finish / Colour	Dark Grey/Black

Optimyst Wall Fire

WALL ELECTRIC FIRE

RTOPW20E



Optimyst Wall Fire

Features

 Unique Optimyst effect

 2kW heat output

 Choice of 2 heat settings

 Thermostat

 Remote control

 Log fuel bed

 Flame effect only

Optimyst Wall Fire



Remote Control




Fuel Bed



Logs

Optimyst Wall Fire



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
692	900	172	20.4

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Base of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - 2 x AAA
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	1.1 Litre
Fuel Bed Supplied	Logs

Product Features

Product Category	Electric Fires
Product Type	Wall
Brand	Dimplex
Model/Range Name	Optimyst Wall Fire
Flame Effect	Optimyst
Model Reference	RTOPW20E
Material Code	X-061348
Barcode	5011139061348
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA , FSC
Guarantee Period	1 year

Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	Y
Built-in	N
View of fire	1 Sided
Lamp Type	4 x 45W Halogen Bulb (Amber coated MR16)
Colour Settings	N
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/metal/MDF
Finish / Colour	Black

Diamantique

WALL ELECTRIC FIRE

DIAM14E



Diamantique

Features

-  Unique Optiflame effect
-  1.4kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of colour options
-  LED lighting
-  Remote control
-  Crystal fuel bed
-  Flame effect only

LED Colours



Blue



Purple



Green



Red


Remote Control



Flame Effect



Diamantique



W 860mm

D 165mm

Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
555	860	165	15.6kg

Product Features

Product Category	Electric Fires
Product Type	Wall
Brand	Dimplex
Model/Range Name	Diamantique
Flame Effect	Optiflame
Model Reference	DIAM14E
Material Code	X-061294
Barcode	5011139061294
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

Product Features

Heat Output	1.4kW
Heat Settings	2 - 700W / 1.4kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Crystals

Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	Y
Built in	N
View of fire	1 sided
Lamp Type	LED
Colour Settings	Y
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Glass
Finish / Colour	Mirrored Glass

SP16

WALL ELECTRIC FIRE

SP16



SP16

Features

-  Unique Optiflame effect
-  2kW heat output
-  Thermostat
-  Variable flame brightness
-  Downlight
-  LED lighting
-  Remote control
-  Pulsating Log effect fuel bed
-  Flame effect only

SP16



Remote Control



Flame Effect



SP16



W 1200mm



D 182mm

H 525mm

Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
525	1200	182	34.9kg

Product Features

Product Category	Electric Fires
Product Type	Wall
Brand	Dimplex
Model/Range Name	SP16
Flame Effect	Optiflame
Model Reference	SP16E
Material Code	X-061270
Barcode	5011139061270
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA / BEAB
Guarantee Period	1 year

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Base of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Logs effect

Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	Y
Built in	Chassis can be inset into wall
View of fire	1 sided
Lamp Type	LED
Colour Settings	N
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Plastic / Glass
Finish / Colour	Black chassis/Dark grey metal frame

Tahoe

WALL ELECTRIC FIRE

TAH20E



Tahoe

Features

 Unique Optimyst effect

 2kW heat output

 Choice of 2 heat settings

 Thermostat

 Remote control

 Coal fuel bed

 Flame effect only

Tahoe



Optional Pebble Fuel Bed



Pebbles

Remote Control




Fuel Bed



Coals

Tahoe



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
692	900	172	20.4

Product Features

Product Category	Electric Fires
Product Type	Wall
Brand	Dimplex
Model/Range Name	Tahoe
Flame Effect	Optimyst
Model Reference	TAH20E
Material Code	X-TAH20E
Barcode	5011139655066
Commodity Code	8516299100
Country of Origin	ROI
Approvals	UKCA
Guarantee Period	1 year

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Base of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - 2 x AAA
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	1.1 Litre
Fuel Bed Supplied	Coals*

Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	Y
Built-in	N
View of fire	1 Sided
Lamp Type	4 x 45W Halogen Bulb (Amber coated MR16)
Colour Settings	N
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/metal/MDF
Finish / Colour	Black

* Optional Pebble Fuel Bed - OMWFBP

Toluca

WALL ELECTRIC FIRE


TLC20



Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of colour options
-  LED lighting
-  Remote control
-  Crystal or Pebble fuel bed
-  Flame effect only

Colour options




Remote Control



Flame Effect



Toluca



W 820mm

D 155mm

Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
540	820	155	12.5kg

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right side of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Crystals or Pebbles

Product Features

Product Category	Electric Fires
Product Type	Wall
Brand	Dimplex
Model/Range Name	Toluca
Flame Effect	Optiflame
Model Reference	TLC20
Material Code	X-060785
Barcode	5011139060785
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	Y
Built in	N
View of fire	1 sided
Lamp Type	LED
Colour Settings	Y
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Glass
Finish / Colour	Black

Toluca Deluxe

WALL ELECTRIC FIRE

TLC20LX



Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of colour options
-  LED lighting
-  Remote control
-  Crystal or Pebble fuel bed
-  Flame effect only

Colour options




Remote Control



Flame Effect



Toluca Deluxe



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
540	820	155	14.5kg

Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right side of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Crystals or Pebbles

Product Features

Product Category	Electric Fires
Product Type	Wall
Brand	Dimplex
Model/Range Name	Toluca Deluxe
Flame Effect	Optiflame
Model Reference	TLC20LX
Material Code	400000340
Barcode	5011139061935
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	Y
Built in	N
View of fire	1 sided
Lamp Type	LED
Colour Settings	Y
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Glass
Finish / Colour	Black

Ignite XLF 50

BUILT-IN ELECTRIC FIRE

XLF50



Ignite XLF 50

Features

-  Unique Optiflame effect
-  2kW heat output
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of colour options
-  Comfort Saver
-  Heat boost
-  Remote control
-  Acrylic Ice fuel bed
-  Flame effect only

Colour Options



Blue



Green



Purple



Red



Orange



White

Remote Control



Manual Control




Accessories

Driftwood River Rock 50"
X-LF50DWS-KIT



Ignite XLF 50



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
419	1306	147	30kg

Product Features

Heat Output	2kW
Heat Settings	1.8-2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right hand side
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Acrylic Ice *

Accessories

Driftwood River Rock Accessory 50	X-LF50DWS-KIT
-----------------------------------	---------------

Product Features

Product Category	Electric Fires
Product Type	Built-in
Brand	Dimplex
Model/Range Name	Ignite XLF
Flame Effect	Optiflame
Model Reference	XLF50
Material Code	X-210272
Barcode	5011139210272
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	N
Built in	Y
View of fire	1 sided
Lamp Type	LED
Colour Settings	Y
Kettle (IEC) Lead	Y
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Glass
Finish / Colour	Black

Ignite XLF 60

BUILT-IN ELECTRIC FIRE

XLF60



Features

-  Unique Optiflame effect
-  2kW heat output
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of colour options
-  Comfort Saver
-  Heat boost
-  Remote control
-  Acrylic Ice fuel bed
-  Flame effect only

Colour Options



Blue



Green



Purple



Red



Orange



White

Remote Control



Manual Control




Accessories

Driftwood River Rock 74"
X-LF74DWS-KIT



Ignite XLF 60



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
419	1560	147	33kg

Product Features

Heat Output	2kW
Heat Settings	1.8-2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right hand side
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Acrylic Ice *

Accessories

Driftwood River Rock Accessory 74	X-LF74DWS-KIT
-----------------------------------	---------------

Product Features

Product Category	Electric Fires
Product Type	Built-in
Brand	Dimplex
Model/Range Name	Ignite XLF
Flame Effect	Optiflame
Model Reference	XLF60
Material Code	500001874
Barcode	5011139084514
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	N
Built in	Y
View of fire	1 sided
Lamp Type	LED
Colour Settings	Y
Kettle (IEC) Lead	Y
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Glass
Finish / Colour	Black

Ignite XLF 74

BUILT-IN ELECTRIC FIRE

XLF74



Ignite XLF 74

Features

-  Unique Optiflame effect
-  2kW heat output
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of colour options
-  Comfort Saver
-  Heat boost
-  Remote control
-  Acrylic Ice fuel bed
-  Flame effect only

Colour Options



Blue



Green



Purple



Red



Orange



White

Remote Control



Manual Control




Accessories

Driftwood River Rock 74"
X-LF74DWS-KIT



Ignite XLF 74



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
419	1941	147	39.2kg

Product Features

Heat Output	2kW
Heat Settings	1.8-2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right hand side
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Acrylic Ice *

Accessories

Driftwood River Rock Accessory 74	X-LF74DWS-KIT
-----------------------------------	---------------

Product Features

Product Category	Electric Fires
Product Type	Built-in
Brand	Dimplex
Model/Range Name	Ignite XLF
Flame Effect	Optiflame
Model Reference	XLF74
Material Code	X-210289
Barcode	5011139210289
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	N
Built in	Y
View of fire	1 sided
Lamp Type	LED
Colour Settings	Y
Kettle (IEC) Lead	Y
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Glass
Finish / Colour	Black

Ignite XLF 100

BUILT-IN ELECTRIC FIRE

XLF100



Ignite XLF 100

Features

-  Unique Optiflame effect
-  2kW heat output
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of colour options
-  Comfort Saver
-  Heat boost
-  Remote control
-  Acrylic Ice fuel bed
-  Flame effect only

Colour Options



Blue



Green



Purple



Red



Orange



Remote Control



Manual Control




Accessories

Driftwood River Rock 50"
X-LF50DWS-KIT x 2



Ignite XLF 100



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
419	2576	147	50.7kg

Product Features

Heat Output	2kW
Heat Settings	1.8 - 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right hand side
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Acrylic Ice *

Accessories

Driftwood River Rock Accessory 50 x2	X-LF50DWS-KIT
--------------------------------------	---------------

Product Features

Product Category	Electric Fires
Product Type	Built-in
Brand	Dimplex
Model/Range Name	Ignite XLF
Flame Effect	Optiflame
Model Reference	XLF100
Material Code	X-210296
Barcode	5011139210296
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	N
Built in	Y
View of fire	1 sided
Lamp Type	LED
Colour Settings	Y
Kettle (IEC) Lead	Y
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Glass
Finish / Colour	Black

Chadwick

FREESTANDING ELECTRIC SUITE

CDW15XHD



Features

-  Unique Optiflame effect
-  1.5kW heat output
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of flame effect
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Suite - quick & easy to install

Chadwick



Remote Control




Fuel Bed



Logs

Chadwick



W 933mm

D 297mm

Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
915	933	297	36.1

Product Features

Product Category	Electric Fires
Product Type	Suite
Brand	Dimplex
Model/Range Name	Chadwick
Flame Effect	Optiflame
Model Reference	CDW15XHD
Material Code	500000699
Barcode	5011139211811
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA , FSC
Guarantee Period	1 year

Product Features

Heat Output	1.5kW
Heat Setting	1.5kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right side of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - 1 x CR2032
Optiflame Effect	Y
Flame Type	Optiflame XHD
Flame Effect Only	Y
Fuel Bed Supplied	Log effect

Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Suite	Y
Assembly	Fully assembled
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Glass / Steel
Finish / Colour	Cream

Mozart

FREESTANDING ELECTRIC SUITE

MZT20BL-E



Mozart Black

Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Suite - quick & easy to install


Mozart



Remote Control




Fuel Bed



Logs

Mozart



Dimensions & Weight			
Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
857	920	375	40

Product Features	
Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	On fire behind cover
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - 1 x CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Log effect

Product Features	
Product Category	Electric Fires
Product Type	Suite
Brand	Dimplex
Model/Range Name	Mozart
Flame Effect	Optiflame
Model Reference	MZT20BL-E
Material Code	400000066
Barcode	5011139061553
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA, BEAB
Guarantee Period	1 year

Product Features	
Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Suite	Y
Assembly	Fully assembled
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Plastic / Steel
Finish / Colour	Black

Orvieto

FREESTANDING ELECTRIC SUITE

MCFP15O-E



Orvieto

Features

-  Unique Optiflame effect
-  1.5kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Suite - quick & easy to install


Orvieto



Remote Control




Fuel Bed



Logs

Orvieto



Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
750	700	260	19.7

Product Features

Product Category	Electric Fires
Product Type	Suite
Brand	Dimplex
Model/Range Name	Orvieto
Flame Effect	Optiflame
Model Reference	MCFP150-E
Material Code	X-061706
Barcode	501139061706
Commodity Code	8516299100
Country of Origin	PRC
Approvals	UKCA
Guarantee Period	1 year

Product Features

Heat Output	1.5kW
Heat Settings	2 - 0.75kW / 1.5kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	On fire behind cover
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - 1 x CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Log effect

Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Suite	Y
Assembly	Fully assembled
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Plastic / Steel
Finish / Colour	Oak



Millbrook House
Grange Drive
Hedge End
Southampton
SO30 2DF

T: 0344 879 1227
E: flamesupportuk@glendimplex.com

www.dimplexfires.com



@dimplexfires